

ANNEX



NATIONAL WATER QUALITY STANDARDS FOR MALAYSIA

PARAMETER	UNIT	CLASS				
		I	IIA/IIB	III [#]	IV	V
A I	mg/l		-	(0.06)	0.5	
As	mg/l		0.05	0.4 (0.05)	0.1	
Ba	mg/l		1	-	-	
Cd	mg/l		0.01	0.01* (0.001)	0.01	
Cr (VI)	mg/l		0.05	1.4 (0.05)	0.1	
Cr (III)	mg/l		-	2.5	-	
Cu	mg/l		0.02	-	0.2	
Hardness	mg/l		250	-	-	
Ca	mg/l		-	-	-	
Mg	mg/l		-	-	-	
Na	mg/l		-	-	3 SAR	
K	mg/l		-	-	-	
Fe	mg/l		1	1	1 (Leaf) 5 (Others)	
Pb	mg/l		0.05	0.02* (0.01)	5	
Mn	mg/l		0.1	0.1	0.2	
Hg	mg/l		0.001	0.004 (0.0001)	0.002	
Ni	mg/l		0.05	0.9*	0.2	
Se	mg/l		0.01	0.25 (0.04)	0.02	
Ag	mg/l		0.05	0.0002	-	
Sn	mg/l		-	0.004	-	
U	mg/l		-	-	-	
Zn	mg/l		5	0.4*	2	
B	mg/l		1	(3.4)	0.8	
Cl	mg/l		200	-	80	
Cl ₂	mg/l		-	(0.02)	-	
CN	mg/l		0.02	0.06 (0.02)	-	
F	mg/l		1.5	10	1	
NO ₂	mg/l		0.4	0.4 (0.03)	-	
NO ₃	mg/l		7	-	5	
P	mg/l		0.2	0.1	-	
Silica	mg/l		50	-	-	
SO ₄	mg/l		250	-	-	
S	mg/l		0.05	(0.001)	-	
CO ₂	mg/l		-	-	-	
Gross- α	Bq/l		0.1	-	-	
Gross- β	Bq/l		1	-	-	
Ra-226	Bq/l		< 0.1	-	-	
Sr-90	Bq/l		< 1	-	-	
CCE	mg/l		500	-	-	-
MBAS/BAS	mg/l		500	5000 (200)	-	-
O & G (Mineral)	mg/l		40; N	N	-	-
O & G (Emulsified Edible)	mg/l		7000; N	N	-	-
PCB	mg/l		0.1	6 (0.05)	-	-
Phenol	mg/l		10	-	-	-
Aldrin/Dieldrin	mg/l		0.02	0.2 (0.01)	-	-
BHC	mg/l		2	9 (0.1)	-	-
Chlordane	mg/l		0.08	2 (0.02)	-	-
t-DDT	mg/l		0.1	(1)	-	-
Endosulfan	mg/l		10	-	-	-
Heptachlor/Epoxide	mg/l		0.05	0.9 (0.06)	-	-
Lindane	mg/l		2	3 (0.4)	-	-
2,4-D	mg/l		70	450	-	-
2,4,5-T	mg/l		10	160	-	-
2,4,5-TP	mg/l		4	850	-	-
Paraquat	mg/l		10	1800	-	-

Notes :

* = At hardness 50 mg/l CaCO

= Maximum (unbracketed) and 24-hour average (bracketed) concentrations

N = Free from visible film sheen, discolouration and deposits

NATIONAL WATER QUALITY STANDARDS FOR MALAYSIA

PARAMETER	UNIT	CLASS					
		I	IIA	IIB	III	IV	V
Ammoniacal Nitrogen	mg/l	0.1	0.3	0.3	0.9	2.7	> 2.7
Biochemical Oxygen Demand	mg/l	1	3	3	6	12	> 12
Chemical Oxygen Demand	mg/l	10	25	25	50	100	> 100
Dissolved Oxygen	mg/l	7	5 - 7	5 - 7	3 - 5	< 3	< 1
pH	-	6.5 - 8.5	6 - 9	6 - 9	5 - 9	5 - 9	-
Colour	TCU	15	150	150	-	-	-
Electrical Conductivity*	µS/cm	1000	1000	-	-	6000	-
Floatables	-	N	N	N	-	-	-
Odour	-	N	N	N	-	-	-
Salinity	%	0.5	1	-	-	2	-
Taste	-	N	N	N	-	-	-
Total Dissolved Solid	mg/l	500	1000	-	-	4000	-
Total Suspended Solid	mg/l	25	50	50	150	300	300
Temperature	°C	-	Normal + 2°C	-	Normal + 2°C	-	-
Turbidity	NTU	5	50	50	-	-	-
Faecal Coliform**	count/100 ml	10	100	400	5000 (20000) ^a	5000 (20000) ^a	-
Total Coliform	count/100 ml	100	5000	5000	50000	50000	> 50000

Notes :

N : No visible floatable materials or debris, no objectional odour or no objectional taste

* : Related parameters, only one recommended for use

** : Geometric mean

a : Maximum not to be exceeded

WATER CLASSES AND USES

CLASS	USES
Class I	Conservation of natural environment. Water Supply I – Practically no treatment necessary. Fishery I – Very sensitive aquatic species.
Class IIA	Water Supply II – Conventional treatment required. Fishery II – Sensitive aquatic species.
Class IIB	Recreational use with body contact.
Class III	Water Supply III – Extensive treatment required. Fishery III – Common, of economic value and tolerant species; livestock drinking.
Class IV	Irrigation
Class V	None of the above.

DOE WATER QUALITY CLASSIFICATION BASED ON WATER QUALITY INDEX

SUB INDEX & WATER QUALITY INDEX	INDEX RANGE		
	CLEAN	SLIGHTLY POLLUTED	POLLUTED
Biochemical Oxygen Demand (BOD)	91 - 100	80 - 90	0 - 79
Ammoniacal Nitrogen (NH ₃ -N)	92 - 100	71 - 91	0 - 70
Suspended Solids (SS)	76 - 100	70 - 75	0 - 69
Water Quality Index (WQI)	81 - 100	60 - 80	0 - 59

DOE WATER QUALITY INDEX CLASSIFICATION

PARAMETER	UNIT	CLASS				
		I	II	III	IV	V
Ammoniacal Nitrogen	mg/l	< 0.1	0.1 – 0.3	0.3 – 0.9	0.9 – 2.7	> 2.7
Biochemical Oxygen Demand	mg/l	< 1	1 – 3	3 – 6	6 – 12	> 12
Chemical Oxygen Demand	mg/l	< 10	10 – 25	25 – 50	50 – 100	> 100
Dissolved Oxygen	mg/l	> 7	5 – 7	3 – 5	1 – 3	< 1
pH	-	> 7.0	6.0 – 7.0	5.0 – 6.0	< 5.0	> 5.0
Total Suspended Solid	mg/l	< 25	25 – 50	50 – 150	150 – 300	> 300
Water Quality Index (WQI)		> 92.7	76.5 – 92.7	51.9 – 76.5	31.0 – 51.9	< 31.0

WQI FORMULA AND CALCULATION

FORMULA

WQI = (0.22 * SIDO) + (0.19 * SIBOD) + (0.16 * SICOD) + (0.15 * SIAN) + (0.16 * SISS) + (0.12 * SIpH)
where;

SIDO = Subindex DO (% saturation)
 SIBOD = Subindex BOD
 SICOD = Subindex COD
 SIAN = Subindex NH₃-N
 SISS = Subindex SS
 SIpH = Subindex pH
 $0 \leq WQI \leq 100$

Best Fit Equations for the Estimation of Various Subindex Values

Subindex for DO (in % saturation)

SIDO = 0 for $x \leq 8$
 SIDO = 100 for $x \geq 92$
 $SIDO = -0.395 + 0.030x - 0.00020x^2$ for $8 < x < 92$

Subindex for BOD

SIBOD = $100.4 - 4.23x$ for $x \leq 5$
 SIBOD = $108 * \exp(-0.055x) - 0.1x$ for $x > 5$

Subindex for COD

$$\text{SICOD} = -1.33x + 99.1 \quad \text{for } x \leq 20$$

$$\text{SICOD} = 103 * \exp(-0.0157x) - 0.04x \quad \text{for } x > 20$$

Subindex for NH₃-N

$$\text{SIAN} = 100.5 - 105x \quad \text{for } x \leq 0.3$$

$$\text{SIAN} = 94 * \exp(-0.573x) - 5 * |x - 2| \quad \text{for } 0.3 < x < 4$$

$$\text{SIAN} = 0 \quad \text{for } x \geq 4$$

Subindex for SS

$$\text{SISS} = 97.5 * \exp(-0.00676x) + 0.05x \quad \text{for } x \leq 100$$

$$\text{SISS} = 71 * \exp(-0.0016x) - 0.015x \quad \text{for } 100 < x < 1000$$

$$\text{SISS} = 0 \quad \text{for } x \geq 1000$$

Subindex for pH

$$\text{SpH} = 17.2 - 17.2x + 5.02x \quad \text{for } x < 5.5$$

$$\text{SpH} = -242 + 95.5x - 6.67x \quad \text{for } 5.5 \leq x < 7$$

$$\text{SpH} = -181 + 82.4x - 6.05x \quad \text{for } 7 \leq x < 8.75$$

$$\text{SpH} = 536 - 77.0x + 2.76x \quad \text{for } x \geq 8.75$$

Note:

* means multiply with